



Shanghai PYC Industrial Co., Ltd.

No.1065 A,Room 2207, Zhao Jia Bang Road, Shanghai,P.R.China

TEL: 0086-21-51695313

FAX: 0086-21-51062733

Email:sales@pyc-inc.com

Http://www.pycladder.com

PYC-TL-2M



Telescoping ladder features:

Material Al,St,Plastic

Pcs/Ctn 1

steps 6

G.W./N.W.(Kgs) 7.0/6.5

open height(mm) 2000

Measure(cm) 75*45*10

close height(mm) 800

Packing 1pc/shrink wrap

base width(mm) 450

40HC/40GP/20" 1652/1409/680

step rise(mm) 290

max.load(Kgs) 150

PYC-TL-2.6M



Telescoping ladder features:

Material Al,St,Plastic

Pcs/Ctn 1

steps 9

G.W./N.W.(Kgs) 9.0/7.3

open height(mm) 2600

Measure(cm) 84*49*10

close height(mm) 830

Packing 1pc/shrink wrap

base width(mm) 480

40HC/40GP/20" 1652/1409/680

step rise(mm) 290

max.load(Kgs) 150

PYC-TL-3.2M



Telescoping ladder features:

Material Al,St,Plastic

Pcs/Ctn 1

steps 11

G.W./N.W.(Kgs) 11.0/9.5

open height(mm) 3200

Measure(cm) 90*49*10

close height(mm) 890

Packing 1pc/shrink wrap

base width(mm) 480

40HC/40GP/20" 1542/1315/634

step rise(mm) 290

max.load(Kgs) 150

PYC-TL-3.8M



Telescoping ladder features:

Material Al,St,Plastic

Pcs/Ctn 1

steps 13

G.W./N.W.(Kgs) 13.0/11.5

open height(mm) 3810

Measure(cm) 96*49*10

close height(mm) 950

Packing 1pc/shrink wrap

base width(mm) 480

40HC/40GP/20" 1446/1233/595

step rise(mm) 290

max.load(Kgs) 150

PYC-TL-2x2M



Material Al,St,Plastic

Pcs/Ctn 1

steps 7+7

G.W./N.W.(Kgs) 13.0/11.0

open height(mm) 2000+2000

Measure(cm) 64*47.5*16

close height(mm) 610+610

Packing 1pc/shrink wrap

base width(mm) 460

40HC/40GP/20" 1280/1060/530

step rise(mm) 290

max.load(Kgs)150

PYC-TL-2x2.6M



Material Al,St,Plastic

Pcs/Ctn 1

steps 7+9

G.W./N.W.(Kgs) 15.5/13.5

open height(mm) 2000+2600

Measure(cm) 69*47.5*16

close height(mm) 610+660

Packing 1pc/shrink wrap

base width(mm) 460,465

40HC/40GP/20" 1190/980/490

step rise(mm) 290

max.load(Kgs)150

PYC-TL-2.6x2.6M



Material Al,St,Plastic

Pcs/Ctn 1

steps 9+9

G.W./N.W.(Kgs) 16.2/14.2

open height(mm) 2600+2600

Measure(cm) 69*47.5*16

close height(mm) 660+660

Packing 1pc/shrink wrap

base width(mm) 465

40HC/40GP/20" 1190/980/490

step rise(mm) 290

max.load(Kgs)150

PYC-TL-1.9x1.9M



Material Al,St,Plastic

Pcs/Ctn 1

Steps 6+6

G.W./N.W.(Kgs) 15.1/13.6

Open height(mm) 1900+1900

Measure(cm) 87.5*47.5*15

Close height(mm) 860+860

Packing 1pc/shrink wrap

Base width(mm) 470

40HC/40GP/20" 1080/890/445

Step rise(mm) 310

Max.load(Kgs) 150